

Charles Gallo Swoosh Cartridges

MSDS# GGC-12

May 2012

4 Total Pages

1. PRODUCT AND COMPANY IDENTIFICATION Product Name: Charles Gallo Swoosh Cartridges

Manufactured by: Diversitech

6650 Sugarloaf Parkway, Duluth, GA 30097 Phone: 800-995-2222 (Product Information)

Phone: 800-255-3924 (CHEM-TEL, Chemical Emergencies Only)

Revised: 05/25/2012

Prepared By: Wyatt Coleman

2. HAZARDS IDENTIFICATION

Emergency Overview: Colorless odorless gas. Contact with desublimed solid may cause frostbite. This product is

nonflammable. Breathing high concentrations

of vapors may produce drowsiness and a headache.

Potential Health Effects:

Eyes: Contact with desublimed solid may cause frostbite. **Skin:** Contact with desublimed solid may cause frostbite

Ingestion: Unlikely. Contact with desublimed solid may cause frostbite.

Inhalation: High concentrations of vapors in immediate area can displace oxygen and can cause dizziness and

unconsciousness. Use with adequate ventilation.

Pre-Existing Medical Conditions Aggravated by Exposure: Heart, lung, skin, eye.

3. COMPOSITION / INFORMATION INGREDIENTS

INGREDIENT

CAS No.

EINECS No.

% Hazard Symbol

None

Risk Phrases

Carbon dioxide

124-38-9

204-696-9

~100

None

4. FIRST-AID MEASURES

Eyes: Treat for frostbite immediately. Have eyes examined and tested by medical personnel if irritation develops or persists.

Skin: Treat for frostbite immediately. Get medical attention if irritation develops or persist.

Ingestion: Not a possible route of entry.

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical

attention.

5. FIREFIGHTING MEASURES

LEL/UEL: Nonflammable

Extinguishing Media: Use extinguishing media as suitable for the combustible materials involved in the fire.

DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097 Chemical Emergency: P 800.255.3924

P 678.542.3600

F 678.542.3700

Page 1



Charles Gallo Swoosh Cartridges

Fire Fighting Instructions: As in any fire, wear self-contained breathing apparatus (pressure demand, MSHA/NIOSH approved or equivalent) and full protective gear.

Unusual Fire and Explosion Hazards: Contents under pressure. Do not store near heat sources.

6. ACCIDENTAL RELEASE MEASURES

Large Spills: Shut off leak if possible and safe to do so. Wear self-contained breathing apparatus and appropriate personal protective equipment. Allow condensed solid to sublime.

Small Spills: Allow condensed solid to sublime.

7. HANDLING AND STORAGE

Avoid prolonged or repeated contact with eyes, skin, and clothing. Wash hands before eating. Protect cartridges from abuse, and extreme temperatures. Keep this product out of the reach of children. Do not puncture cartridge unless it is contained in an approved appliance. Do not attempt to refill spent cartridges. Maintain a well-ventilated work area; use with adequate ventilation. Avoid breathing product vapor or mist. Store in a cool dry place, away from heat, sparks, flame and direct sunlight.

8. EXPOSURE CONTROLS /PERSONAL PROTECTION

Exposure Guidelines:

CHEMICAL NAME ACGIH TWA

OSHA PEL

ACGIH STEL

Carbon Dioxide

5,000 ppm

5.000 ppm

30,000 ppm

Work/Hygienic Practices: Good general ventilation should be sufficient to control airborne levels. Local exhaust ventilation may be necessary to control any air contaminants to within their TLVs during the use of this product. Wear safety glasses with side shields (or goggles) and rubber, neoprene or other chemically resistant gloves if there is documented evidence of compatibility when handling this material.

9. PHYSICAL AND CHEMICAL CHARACTERISTICS

Appearance: Colorless gas Odor: Slight ethereal

Odor threshold: No data for mixture

pH: No data for mixture

Melting Point: No data for mixture Boiling Point: No data for mixture

Flash Point (Method Used): No data for mixture Evaporation Rate (Ether = 1): >1 (Butyl acetate=1) Flammability (Solid, gas): No data for mixture

Upper/lower flammability or explosive limits: No data for mixture

Vapor pressure (mm Hg): 856 psia @ 700F Vapor Density (Air=1): 1.65 @ 70°F (Air = 1)

Specific gravity (H2O = 1): 1.53
Solubility in water: Very Soluble
Partition coefficient: No data for mixture
Auto-ignition temperature: No data for mixture

Decomposition temperature: No data for mixture



Charles Gallo Swoosh Cartridges

10. STABILITY AND REACTIVITY

Stability: This product is stable.

Conditions to Avoid: None known
Incompatibility: None known

Products of Decomposition: None known Hazardous Polymerization: Will not occur

Conditions to Avoid: NA

11. TOXICOLOGICAL INFORMATION

Inhalation:

Carbon Dioxide: LCLo/human

9ppm/5 min

Cancer Information: No ingredients listed as human carcinogens by NTP or IARC

Reproductive effects: none Teratogenic effects: none Mutagenic effects: none

12. ECOLOGICAL INFORMATION

Environmental Impact Information: No sufficient effect known from discharge of gas or desublimed solid.

Environmental Impact Data

REPORTING (percent by weight):

CFC 0.0% VOC 0.0%; HFC 0.0% HFC 0.0%; CI. Solv. 0.0% ODP 0.00

US regulations require reporting spills of this material that could reach any surface waters. The toll free number for the US Coast

Guard National Response Center is: 800-424-8802.

13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with all federal, state and local regulations.

14. TRANSPORT INFORMATION

UN Number: UN1013

UN Proper Shipping Name: Carbon dioxide Transport Hazard Class(es): Packing group: 2.2 Environmental Hazards: Not a marine pollutant

ADR/RID Transport Information

ADR/RID Class 2.2

ADR/RID Packing Group None Allocated

IMDG Hazard Class 2.2

IMDG Packing Group None Allocated

ADNR Class 2.2

ADNR Item None Allocated

DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097 Chemical Emergency: P 800.255.3924 P 678.542.3600 F 678.542.3700

Page 3



Charles Gallo Swoosh Cartridges

IATA Hazard Class 2.2

IATA Packing Group None Allocated

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

EmS: F-C, S-V

15. REGULATORY INFORMATION SECTION 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community

Right-To-Know Act of 1986 (40 CFR 372): None

TOXIC SUBSTANCES CONTROL ACT (TSCA): All ingredients of this product are listed on the TSCA Inventory.

WHMIS: Class A

This product is classified according to the hazard criteria of the CPR, and the MSDS contains all of the information required by the CPR.

EEC:

Supply Classification: Not Listed

Hazard Pictogram: None

Risk Phrases: R-20 Harmful by Inhalation

Safety Phrases:

S-2 Keep out of reach of children

S-47 Keep at temperatures not exceeding 49 degrees C

S-57 Refer to supplier for information on recycling

16. OTHER INFORMATION

NFPA and HMIS Codes:

	NFPA	HMIS
Health	1	1
Flammability	0	0
Reactivity	0	0
Personal Protection	on - B	

Do not puncture or incinerate containers. Normal ventilation for standard manufacturing practices is usually adequate. Local exhaust should be used whenlarge amounts are released.

REFERENCES: 29 CFR 1910.1200 40 CFR 300-700 ANSI Z400.1-1998; EEC Dangerous Substances Classification, Packaging and Labeling List (Annexes

1, 2, 3 & 4)

This information is, to the best of our knowledge and belief, accurate and reliable as of the date completed. However no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the completeness and suitability of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information, nor do we offer any warranty against patent infringement.

DiversiTech Corporation 6650 Sugarloaf Parkway Duluth, GA 30097 Chemical Emergency: P 800.255.3924

P 678.542.3600

F 678.542.3700