



# MATERIAL SAFETY DATA SHEET

---

---

## Section 1: Product & Company Identification

---

---

**Product Name:** Duster™ Moisture-Free Dust & Lint Remover

**Product Number (s):** 05185, 05185-6

**Product Use:** Pressurized gas duster

### Manufacturer / Supplier Contact Information:

In United States:

CRC Industries, Inc.

885 Louis Drive

Warminster, PA 18974

[www.crcindustries.com](http://www.crcindustries.com)

1-215-674-4300 (General)

(800) 521-3168 (Technical)

(800) 272-4620 (Customer Service)

In Canada:

CRC Canada Co.

2-1246 Lorimar Drive

Mississauga, Ontario L5S 1R2

[www.crc-canada.ca](http://www.crc-canada.ca)

1-905-670-2291

In Mexico:

CRC Industries Mexico

Av. Benito Juárez 4055 G

Colonia Orquídea

San Luís Potosí, SLP CP 78394

[www.crc-mexico.com](http://www.crc-mexico.com)

52-444-824-1666

24-Hr Emergency – CHEMTREC: (800) 424-9300 or (703) 527-3887

---

---

## Section 2: Hazards Identification

---

---

### Emergency Overview

**CAUTION:** Contents Under Pressure

Appearance & Odor: Expelled product is a clear gas with a faint ethereal odor.

Pressurized product is a liquefied gas.

### Potential Health Effects:

**ACUTE EFFECTS:**

**EYE:** Contact with dispersed gas is not expected to cause negative effects. Contact with liquid product can cause severe irritation, redness, tearing, blurred vision, and possible freeze burns.

**SKIN:** Contact with dispersed gas is not expected to cause negative effects. Contact with liquid product or concentrated expelled gas can cause frostbite.

**INHALATION:** Inhalation of dispersed gas is not expected to cause negative effects. Inhalation of concentrated vapor may produce anesthetic effects and feeling of euphoria. Prolonged exposure can cause rapid breathing, headache, dizziness, narcosis, and unconsciousness. Deliberately inhaling this product can lead to death from asphyxiation depending on concentration and duration of exposure.

**INGESTION:** Ingestion of liquid product may cause frostbite to mouth and throat. Liquid product may pose aspiration hazard.

**CHRONIC EFFECTS:** Unknown

**TARGET ORGANS:** None known

Medical Conditions Aggravated by Exposure: None known

See Section 11 for toxicology and carcinogenicity information on product ingredients.

Product Name: Duster™ Moisture-Free Dust & Lint Remover  
Product Number (s): 05185, 05185-6

---

---

### Section 3: Composition/Information on Ingredients

---

---

COMPONENT	CAS NUMBER	% by Wt.
1,1-Difluoroethane (HFC-152a)	75-37-6	100

---

---

### Section 4: First Aid Measures

---

---

Eye Contact: For liquid contact, immediately flush with plenty of water for 15 minutes. Call a physician if frostbite occurs.

Skin Contact: For liquid contact, warm area gradually and get medical attention if there is evidence of tissue damage. Flush area with plenty of water. Treat as frostbite.

Inhalation: Remove person to fresh air. Keep person calm. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Call a physician.

Ingestion: Do not induce vomiting. Contact a physician immediately.

*Note to Physicians:* None

---

---

### Section 5: Fire-Fighting Measures

---

---

**Flammable Properties:** In accordance with aerosol flammability definitions, this product is non-flammable. However, the pressurized liquefied gas is extremely flammable. Using this product in an upside-down position, or shaking while using, can cause liquid product to be expelled. The below information applies to the liquefied gas.

Flash Point:	-58°F / -50°C (COC)	Upper Explosive Limit:	16.9%
Autoignition Temperature:	ND	Lower Explosive Limit:	3.9%

**Fire and Explosion Data:**

Suitable Extinguishing Media: Dry chemical extinguisher (B-C), water

Products of Combustion: Oxides of carbon, hydrogen fluoride

Explosion Hazards: Aerosol containers, when exposed to heat from fire, may build pressure and explode. Vapors can accumulate and create a flammable atmosphere.

Protection of Fire-Fighters: Firefighters should wear self-contained, NIOSH-approved breathing apparatus for protection against suffocation and possible toxic decomposition products. Proper eye and skin protection should be provided. Stop the release of material if possible. Use water spray to keep fire-exposed containers cool and to knock down vapors which may result from product decomposition.

---

---

### Section 6: Accidental Release Measures

---

---

Personal Precautions: Use personal protection recommended in Section 8.

Environmental Precautions: Take precautions to prevent contamination of ground and surface waters. Do not flush into sewers or storm drains.

Methods for Containment & Clean-up: Eliminate sources of ignition. Ventilate the area with plenty of fresh air. If in confined space or limited air circulation area, clean-up workers should wear

**Product Name: Duster™ Moisture-Free Dust & Lint Remover**  
**Product Number (s): 05185, 05185-6**

appropriate respiratory protection. If liquid is present, recover or absorb spilled material using an absorbent designed for chemical spills. Place used absorbents into proper waste containers.

---

---

## Section 7: Handling and Storage

---

---

**Handling Procedures:** Vapors are heavier than air and may travel along the ground. Certain vapor concentrations may be ignited by sources of ignition. Deliberately concentrating and inhaling the vapors of this product may result in death. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. For product use instructions, please see the product label.

**Storage Procedures:** Store in a cool dry area out of direct sunlight. Aerosol cans must be maintained below 120°F / 49°C to prevent cans from rupturing. Keep out of reach of children.

**Aerosol Storage Level:** I

---

---

## Section 8: Exposure Controls/Personal Protection

---

---

### Exposure Guidelines:

COMPONENT	OSHA		ACGIH		OTHER		UNIT
	TWA	STEL	TWA	STEL	TWA	SOURCE	
1,1-Difluoroethane (HFC-152a)	NE	NE	NE	NE	1000	AIHA	ppm
N.E. – Not Established (c) – ceiling (s) – skin (v) – vacated							

### Controls and Protection:

**Engineering Controls:** Area should have ventilation to provide fresh air. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at the source, preventing dispersion into the general work area. Use mechanical means if necessary to maintain vapor levels below the exposure guidelines. If working in a confined space, follow applicable OSHA regulations.

**Respiratory Protection:** None required for normal work where adequate ventilation is provided. If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with organic vapor cartridge. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.

**Eye/face Protection:** For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles.

**Skin Protection:** Use protective gloves such as insulated rubber. Also, use impervious clothing if there is potential for contact of liquid with skin.

---

---

## Section 9: Physical and Chemical Properties

---

---

**Physical State:** dispensed product is a gas; pressurized product is a liquefied gas

**Color:** colorless

**Odor:** ethereal

**Odor Threshold:** ND

**Specific Gravity:** 0.909

**Product Name: Duster™ Moisture-Free Dust & Lint Remover**

**Product Number (s): 05185, 05185-6**

Initial Boiling Point: -13°F / -25°C

Freezing Point: ND

Vapor Pressure: 62.5 psig @ 70°F / 21°C

Vapor Density: 2.4 (air = 1)

Evaporation Rate: fast

Solubility: 0.28% (in water) at 70°F / 21°C

Coefficient of water/oil distribution: ND

pH: NA

Volatile Organic Compounds: wt %: 0 g/L: 0 lbs./gal: 0

---

---

## Section 10: Stability and Reactivity

---

---

Stability: Stable

Conditions to Avoid: High heat, spark and open flame

Incompatible Materials: Alkali or alkaline earth metals (Al, Zn)

Hazardous Decomposition Products: Hydrofluoric acid and carbonyl halides

Possibility of Hazardous Reactions: No

---

---

## Section 11: Toxicological Information

---

---

Long-term toxicological studies have not been conducted for this product. The following information is available for components of this product.

### Acute Toxicity:

<u>Component</u>	<u>Oral LD50 (rat)</u>	<u>Dermal LD50 (rabbit)</u>	<u>Inhalation LC50 (rat)</u>
1,1-Difluoroethane (HFC-152a)	> 1500 mg/kg	No data	64,000 ppm/4H

### Chronic Toxicity:

<u>Component</u>	<u>OSHA Carcinogen</u>	<u>IARC Carcinogen</u>	<u>NTP Carcinogen</u>	<u>Irritant</u>	<u>Sensitizer</u>
1,1-Difluoroethane (HFC-152a)	No	No	No	No	No

Reproductive Toxicity: No information available

Teratogenicity: No information available

Mutagenicity: No information available

Synergistic Effects: No information available

---

---

## Section 12: Ecological Information

---

---

Ecological studies have not been conducted for this product. The following information is available for components of this product.

Ecotoxicity: No information available

Persistence / Degradability: No information available

Bioaccumulation / Accumulation: No information available

Mobility in Environment: No information available

**Product Name: Duster™ Moisture-Free Dust & Lint Remover**  
**Product Number (s): 05185, 05185-6**

---

---

## **Section 13: Disposal Considerations**

---

---

**Waste Classification:** This product, as packaged, is a RCRA hazardous waste for flammability with a waste code of D001. (See 40 CFR Part 261.20 – 261.33)  
Dispensed product is not a hazardous waste. Empty containers may be recycled.

All disposal activities must comply with federal, state, provincial and local regulations. Local regulations may be more stringent than state, provincial or national requirements.

---

---

## **Section 14: Transport Information**

---

---

US DOT (ground): UN1030, 1,1-Difluoroethane, R152A, 2.1

ICAO/IATA (air): UN1950, Aerosols, flammable, 2.1, Limited Quantity

IMO/IMDG (water): UN1950, Aerosols, 2.1, Limited Quantity

Special Provisions: DOT-SP 11516: In accordance with this special permit, this product is not subject to labeling requirements unless offered for transportation by air. This product is not subject to placarding requirements. Outside packaging must be marked with proper shipping description and 'DOT-SP 11516'.

---

---

## **Section 15: Regulatory Information**

---

---

### **U.S. Federal Regulations:**

#### **Toxic Substances Control Act (TSCA):**

All ingredients are either listed on the TSCA inventory or are exempt.

#### **Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):**

Reportable Quantities (RQ's) exist for the following ingredients: None

**Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.**

#### **Superfund Amendments Reauthorization Act (SARA) Title III:**

Section 302 Extremely Hazardous Substances (EHS): None

Section 311/312 Hazard Categories:	Fire Hazard	Yes
	Reactive Hazard	No
	Release of Pressure	Yes
	Acute Health Hazard	Yes
	Chronic Health Hazard	No

Section 313 Toxic Chemicals: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  
None

#### **Clean Air Act:**

Section 112 Hazardous Air Pollutants (HAPs): None

#### **Occupational Safety and Health Administration:**

This product is regulated by the Hazard Communications Standard.

**Product Name: Duster™ Moisture-Free Dust & Lint Remover**  
**Product Number (s): 05185, 05185-6**

---

**U.S. State Regulations:**

**California Safe Drinking Water and Toxic Enforcement Act (Prop 65):**

This product may contain the following chemicals known to the state of California to cause cancer, birth defects or other reproductive harm: None

**Consumer Products VOC Regulations:** This product is compliant as a pressurized gas duster.

**State Right to Know:**

New Jersey: 75-37-6  
Pennsylvania: 75-37-6  
Massachusetts: 75-37-6  
Rhode Island : 75-37-6

**Canadian Regulations:**

**Controlled Products Regulations:**

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulation and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Hazard Class: A, B5

Canadian DSL Inventory: All ingredients are either listed on the DSL Inventory or are exempt.

**European Union Regulations:**

**RoHS Compliance:** This product is compliant with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003. This product does not contain any of the restricted substances as listed in Article 4(1) of the RoHS Directive.

**Additional Regulatory Information:** None

---


---

**Section 16: Other Information**

---

---

HMIS® (II)	
Health:	1
Flammability:	4
Reactivity:	1
PPE:	B



Ratings range from 0 (no hazard) to 4 (severe hazard)

Prepared By: Michelle Rudnick  
CRC #: 402  
Revision Date: 06/12/2012

Changes since last revision: formula change

**Product Name: Duster™ Moisture-Free Dust & Lint Remover**

**Product Number (s): 05185, 05185-6**

---

The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this MSDS consult your supervisor, a health & safety professional, or CRC Industries.

ACGIH: American Conference of Governmental Industrial Hygienists	NA: Not Applicable
CAS: Chemical Abstract Service	ND: Not Determined
CFR: Code of Federal Regulations	NIOSH: National Institute of Occupational Safety & Health
DOT: Department of Transportation	NFPA: National Fire Protection Association
DSL: Domestic Substance List	NTP: National Toxicology Program
g/L: grams per Liter	OSHA: Occupational Safety and Health Administration
HMIS: Hazardous Materials Identification System	PMCC: Pensky-Martens Closed Cup
IARC: International Agency for Research on Cancer	PPE: Personal Protection Equipment
IATA: International Air Transport Association	ppm: Parts per Million
ICAO: International Civil Aviation Organization	RoHS: Restriction of Hazardous Substances
IMDG: International Maritime Dangerous Goods	STEL: Short Term Exposure Limit
IMO: International Maritime Organization	TCC: Tag Closed Cup
lbs./gal: pounds per gallon	TWA: Time Weighted Average
LC: Lethal Concentration	WHMIS: Workplace Hazardous Materials Information System
LD: Lethal Dose	